

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City

SEVENTEENTH CONGRESS
First Regular Session

HOUSE BILL NO. 1162

HOUSE OF REPRESENTATIVES

RECEIVED

DATE: 05 JUL 2016

TIME: 4:55 p

BY: [Signature]

REGISTRATION UNIT
BILLS AND INDEX SERVICE


Introduced by REPRESENTATIVE MARIA LOURDES ACOSTA-ALBA

EXPLANATORY NOTE

This measure proposes to declare the portion of the Misamis Oriental-Bukidnon-Agusan Road located in Barangay Sta. Ana, Tagoloan, Misamis Oriental as a national highway in order to facilitate its improvement, with the end-goal of efficiently connecting major areas between Misamis Oriental and Bukidnon.

The whole stretch of the Misamis Oriental-Bukidnon-Agusan Road is a national road. The particular road gap in the aforementioned barangay, however, is classified as a provincial road, and hence, outside the jurisdiction of the Department of Public Works and Highways (DPWH). This road links up the Municipality of Malitbog of the First District of Bukidnon with Cagayan De Oro and the rest of Region X. Thus, the improvement of this road is imperative in order to spur sustained economic development in Malitbog and other immediate areas.

In view of the foregoing, the immediate approval of this measure is earnestly requested.


MARIA LOURDES ACOSTA-ALBA
First District, Bukidnon

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City

SEVENTEENTH CONGRESS
First Regular Session

HOUSE BILL NO. 1162

Introduced by REPRESENTATIVE MARIA LOURDES ACOSTA-ALBA

AN ACT

CONVERTING THE PORTION OF THE MISAMIS ORIENTAL-BUKIDNON-
AGUSAN NATIONAL ROAD LOCATED IN BARANGAY STA. ANA, TAGOLOAN,
MISAMIS ORIENTAL INTO A NATIONAL ROAD AND APPROPRIATING FUNDS
THEREFOR

Be it enacted by the Senate and House of Representatives of the Philippines in Congress assembled:

SECTION 1. The portion of the Misamis Oriental-Bukidnon-Agusan National Road located in Barangay Sta. Ana, Tagoloan, Misamis Oriental as described in the technical description under the succeeding section of this Act is hereby converted into a national road.

SECTION 2. The technical description of the road is as follows:

From the Bureau of Lands land monument no. 1 (BLLM1) of the Municipality of Tagoloan, Province of Misamis Oriental thence to point marked one (1) of the road with a distance of 1,793.83 meters, bearing N29° 32' 00" E, with the following lines, bearings and distances, to wit –

LINE	BEARING	DISTANCE
BLLM 1-1	N 29° 32' 00" E	1,793.83
1-2	S 58° 51' 00" E	129.51
2-3	S 57° 51' 00" E	31.53
3-4	S 59° 56' 00" E	115.17
4-5	S 67° 59' 00" E	95.07
5-6	S 59° 53' 00" E	76.02
6-7	S 59° 12' 00" E	201.08
7-8	S 51° 09' 00" E	113.48
8-9	S 46° 37' 00" E	136.14
9-10	S 43° 44' 00" E	49.08
10-11	S 41° 46' 00" E	135.38
11-12	S 37° 39' 00" E	43.45
12-13	S 42° 31' 00" E	112.80
13-14	S 40° 39' 00" E	122.01
14-15	S 41° 20' 00" E	153.51
15-16	S 43° 10' 00" E	23.16
16-17	S 41° 16' 00" E	47.60

LINE	BEARING	DISTANCE
17-18	S 70° 36' 00" E	56.46
18-19	S 74° 41' 00" E	52.94
19-20	S 73° 21' 00" E	22.10
20-21	S 76° 11' 00" E	26.95
21-22	S 73° 01' 00" E	115.29
22-23	S 73° 48' 00" E	242.35
23-24	S 72° 43' 00" E	103.53
24-25	S 71° 25' 00" E	54.06
25-26	S 70° 34' 00" E	31.93
26-27	S 72° 04' 00" E	55.56
27-28	S 68° 30' 00" E	115.02
28-29	S 68° 28' 00" E	39.78
29-30	S 66° 48' 00" E	315.97
30-31	S 67° 01' 00" E	392.59
31-32	S 67° 01' 00" E	75.58
32-33	S 65° 54' 00" E	140.72
33-34	S 76° 23' 00" E	97.18

LINE	BEARING	DISTANCE
34-35	S 77 ° 27' 00" E	52.47
35-36	S 80 ° 40' 00" E	28.56
36-37	S 79 ° 30' 00" E	42.62
37-38	S 75 ° 19' 00" E	24.11
38-39	97 ° 22' 57"	20.17
39-40	S 79 ° 09' 00" E	40.64
40-41	S 81 ° 45' 00" E	73.80
41-42	S 88 ° 12' 00" E	41.54
42-43	S 57 ° 44' 00" E	19.75
43-44	S 65 ° 31' 00" E	50.91
44-45	S 65 ° 29' 00" E	25.26
45-46	S 65 ° 56' 00" E	17.63
46-47	N 66 ° 22' 00" E	23.99
47-48	N 48 ° 32' 00" E	42.03
48-49	-	-
49-50	N 29 ° 32' 00" E	83.26
50-51	N 76 ° 45' 00" E	11.32
51-52	N 89 ° 04' 00" E	55.00
52-53	N 88 ° 20' 00" E	13.36
53-54	S 78 ° 23' 00" E	26.74
54-55	S 78 ° 23' 00" E	26.17
55-56	S 76 ° 24' 00" E	30.85
56-57	S 74 ° 05' 00" E	41.62
57-58	S 76 ° 24' 00" E	44.30
58-59	S 71 ° 08' 00" E	34.29
59-60	S 70 ° 20' 00" E	50.07
60-61	S 71 ° 09' 00" E	34.21
61-62	S 71 ° 39' 00" E	19.66
62-63	S 59 ° 53' 00" E	11.54
63-64	S 68 ° 30' 00" E	19.92
64-65	S 69 ° 37' 00" E	21.65
65-66	S 71 ° 33' 00" E	11.03
66-67	S 71 ° 15' 00" E	27.94
67-68	S 72 ° 03' 00" E	11.49
68-69	S 70 ° 27' 00" E	23.74
69-70	S 73 ° 21' 00" E	11.48
70-71	S 73 ° 45' 00" E	12.19
71-72	S 70 ° 16' 00" E	11.46
72-73	S 68 ° 40' 00" E	11.68
73-74	S 75 ° 48' 00" E	12.11
74-75	S 68 ° 45' 00" E	28.33
75-76	S 69 ° 42' 00" E	12.80
76-77	S 69 ° 42' 00" E	16.87
77-78	S 69 ° 35' 00" E	21.38
78-79	S 70 ° 41' 00" E	12.51
79-80	S 68 ° 42' 00" E	9.64
80-81	S 69 ° 21' 00" E	18.21
81-82	S 67 ° 16' 00" E	10.82
82-83	S 68 ° 13' 00" E	27.72
83-84	S 66 ° 17' 00" E	12.21
84-85	S 66 ° 28' 00" E	15.61
85-86	S 65 ° 37' 00" E	9.26
86-87	S 69 ° 42' 00" E	9.22
87-88	S 69 ° 22' 00" E	5.53
88-89	S 68 ° 38' 00" E	20.45
89-90	S 70 ° 27' 00" E	15.22
90-91	S 70 ° 39' 00" E	15.19
91-92	S 72 ° 58' 00" E	17.52

LINE	BEARING	DISTANCE
92-93	S 70 ° 06' 00" E	29.31
93-94	S 78 ° 30' 00" E	23.91
94-95	S 72 ° 43' 00" E	9.66
95-96	S 75 ° 26' 00" E	9.90
96-97	S 74 ° 22' 00" E	54.00
97-98	N 17 ° 33' 00" E	178.23
98-99	N 26 ° 07' 00" E	118.04
99-100	S 80 ° 17' 00" E	77.61
100-101	S 40 ° 57' 00" E	126.68
101-102	S 29 ° 50' 00" E	40.29
102-103	S 67° 59' 00" E	186.05
103-104	S 59° 53' 00" E	19.27
104-105	N 24 ° 55' 00" E	56.69
105-106	N 27 ° 24' 00" E	64.44
106-107	N 01 ° 30' 00" E	86.94
107-108	N 04 ° 09' 00" E	104.01
108-109	N 05 ° 29' 00" E	71.05
109-110	N 28 ° 23' 00" E	61.59
110-111	N 43 ° 66' 00" E	45.66
111-112	N 63 ° 52' 00" E	98.78
112-113	S 77 ° 26' 00" E	78.04
113-114	N 83 ° 11' 00" E	97.84
114-115	N 56 ° 16' 00" E	47.20
115-116	N 76 ° 54' 00" E	139.33
116-117	N 75 ° 56' 00" E	355.03
117-118	N 82 ° 47' 00" E	35.49
118-119	S 88 ° 26' 00" E	28.84
119-120	S 57 ° 01' 00" E	145.31
120-121	S 67 ° 23' 00" E	164.23
121-122	N 50 ° 27' 00" E	21.67
122-123	N 66 ° 57' 00" W	167.99
123-124	S 59 ° 53' 00" W	151.42
124-125	S 83 ° 28' 00" W	31.75
125-126	S 85 ° 46' 00" W	39.08
126-127	S 77 ° 05' 00" W	344.96
127-128	S 74 ° 23' 00" W	157.73
128-129	S 51 ° 19' 00" W	40.92
129-130	S 84 ° 37' 00" W	96.71
130-131	N 77 ° 26' 00" W	82.94
131-132	S 63 ° 52' 00" W	122.5
132-133	S 42 ° 01' 00" W	32.25
133-134	S 30 ° 23' 00" W	67.35
134-135	S 02 ° 42' 00" W	83.08
135-136	S 02 ° 42' 00" W	104.41
136-137	S 01 ° 49' 00" W	87.95
137-138	S 27 ° 16' 00" W	63.58
138-139	S 30 ° 07' 00" W	34.45
139-140	S 48 ° 15' 00" W	9.09
140-141	N 17 ° 10' 00" W	24.03
141-142	N 15 ° 06' 00" W	152.07
142-143	N 33 ° 05' 00" W	47.57
143-144	N 40 ° 47' 00" W	128.11
144-145	N 76 ° 44' 00" W	94.62
145-146	S 53 ° 19' 00" W	20.89
146-147	S 27 ° 50' 00" W	114.49
147-148	S 09 ° 52' 00" W	34.84
148-149	S 17 ° 09' 00" W	25.50
149-150	S 17 ° 04' 00" W	39.88

LINE	BEARING	DISTANCE
150-151	S 14 ° 06' 00" W	27.95
151-152	S 29 ° 15' 00" W	38.59
152-153	N 76 ° 41' 00" W	61.27
153-154	N 74 ° 19' 00" W	57.08
154-155	N 74 ° 45' 00" W	64.37
155-156	N 70 ° 34' 00" W	66.82
156-157	N 70 ° 42' 00" W	10.80
157-158	N 64 ° 54' 00" W	28.69
158-159	N 70 ° 51' 00" W	10.95
159-160	N 68 ° 29' 00" W	12.92
160-161	N 72 ° 03' 00" W	26.22
161-162	N 68 ° 56' 00" W	11.94
162-163	N 71 ° 11' 00" W	28.34
163-164	N 71 ° 06' 00" W	11.36
164-165	N 69 ° 40' 00" W	23.96
165-166	N 76 ° 20' 00" W	10.20
166-167	N 67 ° 07' 00" W	15.02
167-168	N 73 ° 10' 00" W	20.86
168-169	N 64 ° 52' 00" W	12.57
169-170	N 71 ° 44' 00" W	30.24
170-171	N 74 ° 35' 00" W	12.04
171-172	N 70 ° 44' 00" W	38.02
172-173	N 69 ° 16' 00" W	10.96
173-174	N 69 ° 59' 00" W	19.67
174-175	N 73 ° 29' 00" W	7.21
175-176	N 70 ° 54' 00" W	19.81
176-177	N 66 ° 22' 00" W	11.45
177-178	N 71 ° 14' 00" W	56.21
178-179	N 69 ° 33' 00" W	11.91
179-180	N 73 ° 04' 00" W	144.26
180-181	N 84 ° 27' 00" W	24.92
181-182	S 88 ° 20' 00" W	24.63
182-183	N 83 ° 23' 00" W	35.02
183-184	S 84 ° 45' 00" W	44.30
184-185	S 33 ° 43' 00" W	50.09
185-186	S 23 ° 29' 00" W	44.84
186-187	-	-
187-188	S 57 ° 30' 00" W	38.03
188-189	S 77 ° 58' 00" W	10.75
189-190	N 86 ° 03' 00" W	14.25
190-191	N 65 ° 07' 00" W	58.15
191-192	S 64 ° 04' 00" W	40.48
192-193	N 88 ° 16' 00" W	41.17
193-194	N 61 ° 43' 00" W	73.51

LINE	BEARING	DISTANCE
194-195	N 79 ° 10' 00" W	40.09
195-196	N 77 ° 59' 00" W	20.90
196-197	N 75 ° 29' 00" W	23.98
197-198	N 79 ° 33' 00" W	42.62
198-199	N 79 ° 58' 00" W	25.03
199-200	N 76 ° 38' 00" W	110.08
200-201	N 79 ° 58' 00" W	70.00
201-202	N 66 ° 23' 00" W	74.34
202-203	N 66 ° 60' 00" W	333.19
203-204	N 65 ° 58' 00" W	163.20
204-205	N 65 ° 53' 00" W	90.79
205-206	N 67 ° 01' 00" W	88.65
206-207	N 66 ° 17' 00" W	111.07
207-208	N 68 ° 39' 00" W	73.82
208-209	N 66 ° 46' 00" W	77.24
209-210	N 71 ° 47' 00" W	90.13
210-211	N 72 ° 11' 00" W	90.95
211-212	N 72 ° 31' 00" W	44.40
212-213	N 73 ° 28' 00" W	112.84
213-214	N 74 ° 54' 00" W	57.39
214-215	N 73 ° 49' 00" W	157.50
215-216	N 74 ° 03' 00" W	214.24
216-217	N 69 ° 12' 00" W	23.12
217-218	N 68 ° 28' 00" W	4.79
218-219	N 42 ° 57' 00" W	33.55
219-220	N 40 ° 50' 00" W	25.68
220-221	N 41 ° 04' 00" W	109.31
221-222	N 41 ° 05' 00" W	65.06
222-223	N 41 ° 24' 00" W	105.04
223-224	N 39 ° 42' 00" W	111.89
224-225	N 54 ° 43' 00" W	43.31
225-226	N 42 ° 17' 00" W	139.46
226-227	N 55 ° 22' 00" W	48.14
227-228	N 38 ° 40' 00" W	10.73
228-229	N 48 ° 53' 00" W	44.53
229-230	N 52 ° 32' 00" W	106.24
230-231	N 69 ° 59' 00" W	94.07
231-232	N 73 ° 29' 00" W	202.75
232-233	N 70 ° 54' 00" W	208.47
233-234	N 66 ° 22' 00" W	15.51
234-235	N 71 ° 14' 00" W	9.38
235-236	N 69 ° 33' 00" W	78.85
236-237	N 73 ° 04' 00" W	117.34
237-1	N 84 ° 27' 00" W	11.98

SECTION 3. The Secretary of Public Works and Highways shall include in the Department's program the improvement,, repair, and maintenance of the said road, the funding of which shall be included in the annual General Appropriations Act.

SECTION 4. This Act shall take effect fifteen (15) days after its publication in the Official Gazette or at least two (2) newspaper of general circulation.

Approved,